

Ticket Number: 601083360

Dig Number Dig Date Oct 13, 2021 12:30 pm Status Acknowledged LOCATION INFORMATION Address Placement CURBLANE, PARKWAY, SIDEWALK, TRAFFIC DETAILS Requested 10/6/2021 12:27 pm (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity Depth of Excavation 7 feet Expected Duration NA Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Antended Dig Notice? Yes Type of Work Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address Guilliermo.rodriguez2@cityofchicago.org	Chicago					
Dig Date Status Acknowledged LOCATION INFORMATION Address 911 - 929 W CHICAGO AVE Placement CURBLANE,PARKWAY,SIDEWALK,TRAFFIC DETAILS Requested 10/6/2021 12:27 pm (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity 11/3/2021 Depth of Excavation Expected Duration Associated Permit Number Permittee Name Work on? Public right-of-way Location Specific Facility Info Routing Type Onsite Contact Name Onsite Contact Name Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main Work will use to the decimal man the top of the existing 24-inch sewer main Work will use to the decimal man the top of the existing 24-inch sewer main Unificacy 21 DUE To INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main Work will a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. Activity Comment Activity August the existing 16-inch feeder main to cross above the existing 24-inch sewer main Work will a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. Applicant Details Contact Name Contact Address IL		GENERAL INFORMATION				
Status Acknowledged LOCATION INFORMATION Address 911 - 929 W CHICAGO AVE Placement CURBLANE, PARKWAY, SIDEWALK, TRAFFIC DETAILS Requested 10/6/2021 12:27 pm (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity 11/3/2021 Pepth of Excavation Expected Duration N/A Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name MEMO Onsite Contact Phone Number (312)747-7566 Type of Work Will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Phone Contact Address Location Of Ticket Validity 1/3/2021 DUR TO DURAN DETAILS DWM Contact Phone	Dig Number	601083360				
Address 911 - 929 W CHICAGO AVE Placement CURBLANE,PARKWAY,SIDEWALK,TRAFFIC DETAILS Requested (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity 11/3/2021 Pepth of Excavation 7 feet Expected Duration N/A Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name ONsite Ontact Name Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Address Contact Address Locator Phone		Oct 13, 2021 12:30 pm				
Address Placement CURBLANE, PARKWAY, SIDEWALK, TRAFFIC DETAILS Requested 10/6/2021 12:27 pm (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity 11/3/2021 Depth of Excavation Expected Duration N/A Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info No Automatic Onsite Contact Name Onsite Contact Phone Number Yers Office of Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Address Location	Status	Acknowledged				
Placement CURBLANE,PARKWAY,SIDEWALK,TRAFFIC DETAILS Requested (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity 1/1/3/2021 Depth of Excavation 7 feet Expected Duration N/A Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name MEMO Onsite Contact Phone Number Amended Dig Notice? Yes Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone		LOCATION INFORMATION				
Requested Requested 10/6/2021 12:27 pm (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity Depth of Excavation Expected Duration Associated Permit Number DOT1600131 Permittee Name Work on? Public right-of-way Location Specific Facility Info Routing Type Onsite Contact Name MEMO Onsite Contact Phone Number Amended Dig Notice? Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main were almost and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address L Contact Phone	Address	911 - 929 W CHICAGO AVE				
Requested 10/6/2021 12:27 pm (NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity 11/3/2021 Depth of Excavation 7 feet N/A Expected Duration N/A Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name MEMO Onsite Contact Name MEMO Onsite Contact Phone Number Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main to cross above the existing 24-inch sewer main 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-664-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address L Contact Phone	Placement	CURBLANE,PARKWAY,SIDEWALK,TRAFFIC				
(NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity		DETAILS				
(NOTE: Dig Ticket is voided if work does not commence before Oct 20, 2021.) Final Day of Ticket Validity	Requested	10/6/2021 12:27 pm				
Final Day of Ticket Validity Depth of Excavation Expected Duration Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name Onsite Contact Phone Number Amended Dig Notice? Type of Work Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main to cross above the existing 24-inch sewer main 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone	·					
Expected Duration N/A Associated Permit Number DOT1600131 Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name MEMO Onsite Contact Name Onsite Contact Name Are in an and the top of the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the Dottom of the proposed 16-inch feeder main to cross above the existing 24-inch sewer main. Activity Comment 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Address IL Contact Phone	Final Day of Ticket Validity					
Associated Permit Number Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name Onsite Contact Name Onsite Contact Phone Number Amended Dig Notice? Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone	Depth of Excavation	7 feet				
Permittee Name DWM Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name MEMO Onsite Contact Phone Number (312)747-7566 Amended Dig Notice? Yes Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 16-inch feeder main to cross above the existing 24-inch sewer main. Activity Comment Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM	Expected Duration	N/A				
Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name MEMO Onsite Contact Phone Number (312)747-7566 Amended Dig Notice? Yes Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. Activity Comment 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone	Associated Permit Number	DOT1600131				
Location Specific Facility Info Routing Type Automatic Onsite Contact Name Onsite Contact Name Onsite Contact Phone Number (312)747-7566 Amended Dig Notice? Yes Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Phone IL Contact Phone	Permittee Name	DWM				
Routing Type	Work on?	Public right-of-way				
Onsite Contact Name	Location Specific Facility Info	No				
Amended Dig Notice? Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Phone Contact Phone	Routing Type	Automatic				
Type of Work Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Phone	Onsite Contact Name	MEMO				
Type of Work Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. Activity Comment 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Phone	Onsite Contact Phone Number	(312)747-7566				
Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. Activity Comment 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Phone	Amended Dig Notice?	Yes				
Work will use Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Phone	Type of Work					
Location of Dig Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name DWM Contact Phone	<u> </u>	Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main				
with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone						
feeder main and the top of the existing 24-inch sewer main. 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone	Location of Dig					
Activity Comment 10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151 Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone						
Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone	Activity Comment	10/13/2021 DUE TO INCOMPLETE MARKING FROM ALL UTILITIES PLEASE SEND				
with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone		SOMEONE AS SOON AS POSSIBLE CONTACT AWAAD 773-654-0151				
with a minimum of 18 inches of vertical separation between the bottom of the proposed 16-inch feeder main and the top of the existing 24-inch sewer main. APPLICANT DETAILS Contact Name Contact Address IL Contact Phone		Vertically adjust the existing 16-inch feeder main to cross above the existing 24-inch sewer main				
APPLICANT DETAILS Contact Name DWM Contact Address IL Contact Phone						
Contact Name DWM Contact Address IL Contact Phone		·				
Contact Address		APPLICANT DETAILS				
Contact Phone	Contact Name	DWM				
	Contact Address	IL .				
Additional Email Addresses guillermo.rodriguez2@cityofchicago.org	Contact Phone					
	Additional Email Addresses	guillermo.rodriguez2@cityofchicago.org				

			NOTICE	E HISTOR	Y	
Utility Name	Site ID	Notice ID	Туре	Status	Created	Last Status Time
Rogers Telecom/Gabe's Technical Service	42	13530436	Initial	Ack	10/6/2021 12:36:39 PM	10/6/2021 1:13:20PM
Verizon (MCI)	24	13530501	Initial	Ack	10/6/2021 12:36:39 PM	10/6/2021 12:49:42PM
Peoples Gas Central and South	79	13530435	Initial	Marked	10/6/2021 12:36:39 PM	10/8/2021 2:08:42PM
City of Chicago (CoC)	22	13564554	Incompl ete	Ack	10/13/2021 10:28:25 AM	10/13/2021 11:00:54AM
AT&T (SBC IL)*	70	13564558	Incompl ete	Ack	10/13/2021 10:28:25 AM	10/13/2021 10:40:32AM
Peoples Gas*	136	13564560	Incompl ete	Ack	10/13/2021 10:28:25 AM	10/13/2021 10:43:59AM
Rogers Telecom/Gabe's Technical Service	42	13564557	Incompl ete	Ack	10/13/2021 10:28:25 AM	10/13/2021 10:56:50AM
City of Chicago (CoC)	22	13530434	Initial	Ack	10/6/2021 12:36:39 PM	10/6/2021 1:10:22PM
AT&T (SBC IL)*	70	13530498	Initial	Ack	10/6/2021 12:36:39 PM	10/6/2021 12:45:06PM
ComED North*	4	13564553	Incompl ete	Ack	10/13/2021 10:28:25 AM	10/13/2021 10:39:52AM
Comcast Cable (29)	29	13564556	Incompl ete	Marked	10/13/2021 10:28:25 AM	10/13/2021 11:35:24AM
Peoples Gas*	136	13530437	Initial	Ack	10/6/2021 12:36:39 PM	10/6/2021 12:44:55PM
Comcast Cable (29)	29	13530500	Initial	Positive	10/6/2021 12:36:39 PM	10/8/2021 10:47:05AM
MWRD of Greater Chicago	201	13530502	Initial	Positive	10/6/2021 12:36:39 PM	10/6/2021 2:17:15PM
Verizon (MCI)	24	13564555	Incompl ete	Ack	10/13/2021 10:28:25 AM	10/13/2021 10:49:04AM
Peoples Gas Central and South	79	13564559	Incompl ete	Marked	10/13/2021 10:28:25 AM	10/13/2021 12:16:35PM
MWRD of Greater Chicago	201	13564561	Incompl ete	Positive	10/13/2021 10:28:25 AM	10/14/2021 7:42:52AM
ComED North*	4	13530499	Initial	Ack	10/6/2021 12:36:39 PM	10/6/2021 12:46:09PM

REVISION HISTORY						
Rev#	Date	User	Reason			
3157422	10/13/2021 10:28:27 AM	JP1822	Incomplete			
3148415	10/6/2021 12:36:41 PM	b15527	Approved			
3148406	10/6/2021 12:27:37 PM	wc00482	Created			