

REVISION

Ticket Number: 601060843 **Revision Number:** 3073269

Dig Number 601060843 Dig Date Sep 03, 2021 08:00 am Status Unacknowledged LOCATION INFORMATION Address 3900 - 3958 N FRANCISCO AVE BIKELANE, CURBLANE, PARKWAY, CURBS, TRAFFIC, INTERSECT BETAILS Requested 8/31/2021 4:12 pm (NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) 9/26/2021 Depth of Excavation 2/eet Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Name (Villity Construction) Work will use Location of Dig Automatic 10 (19 marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Aplustment Of CB, MH .INLETS, CE and WV								
Dig Date Status Unacknowledged LOCATION INFORMATION Address 3900 - 3958 N FRANCISCO AVE BIKELANE, CURBLANE, PARKWAY, CURBS, TRAFFIC, INTERSECT DETAILS Requested 8/31/2021 4:12 pm (NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity Poeth of Excavation Expected Duration Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Name Vork will use Location of Dig Adjustment Of CB, MH, INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB, MH, INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB, MH, INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name Contact Address Contact Address Contact Address Contact Phone (773)735-0401	GENERAL INFORMATION							
Status Unacknowledged LOCATION INFORMATION Address 3900 - 3958 N FRANCISCO AVE Placement BIKELANE, CURBLANE, PARKWAY, CURBS, TRAFFIC, INTERSECT DETAILS Requested (NOTE: Dig Ticket is wided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity 9/28/2021 2 feet Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Name Very Not Will use Location of Dig Mork Will use Location of Dig Mork Will use Activity Comment Adjustment Of CB, MH , INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 (773)735-0401	Dig Number	601060843						
Address 3900 - 3958 N FRANCISCO AVE Placement BIKELANE,CURBLANE,PARKWAY,CURBS,TRAFFIC,INTERSECT DETAILS Requested 8/31/2021 4:12 pm (NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity 9/26/2021 Depth of Excavation 2 feet Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Will use Location of Dig Adjustment Of CB, MH, INLETS, CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB, MH, INLETS, CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address Contact Phone (773)735-0401	Dig Date	Sep 03, 2021 08:00 am						
Address 3900 - 3958 N FRANCISCO AVE Placement BIKELANE, CURBLANE, PARKWAY, CURBS, TRAFFIC, INTERSECT DETAILS Requested (NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity 9/26/2021 Depth of Excavation 2 feet Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Activity Comment Adjustment Of CB, MH, INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB, MH, INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Status	Unacknowledged						
Placement BIKELANE, CURBLANE, PARKWAY, CURBS, TRAFFIC, INTERSECT DETAILS Requested 8/31/2021 4:12 pm (NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity 9/26/2021 Depth of Excavation 2 feet 30 Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Melania Diaz Onsite Contact Name Melania Diaz Onsite Contact Name Melania Diaz Onsite Contact Name Work will use Location of Dig Adjustment Of CB,MH, INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401		LOCATION INFORMATION						
Requested 8/31/2021 4:12 pm (NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity 9/26/2021 Depth of Excavation 2 feet Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Name Melania Diaz Onsite Contact Name Vork will use Location of Dig Adjustment Of CB, MH ,INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Address	3900 - 3958 N FRANCISCO AVE						
Requested (NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity 9/26/2021 Depth of Excavation 2 feet Expected Duration 30 Associated Permit Number DOT1584768 CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Will use Location of Dig Adjustment Of CB,MH, INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Activity Comment Applicant Applicant Service Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Placement	BIKELANE,CURBLANE,PARKWAY,CURBS,TRAFFIC,INTERSECT						
(NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.) Final Day of Ticket Validity 9/26/2021 Depth of Excavation 2 feet Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Activity Comment Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Phone (773)735-0401		DETAILS						
Final Day of Ticket Validity Depth of Excavation Expected Duration Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name Onsite Contact Name Onsite Contact Phone Number Type of Work Work will use Location of Dig Adjustment Of CB,MH ,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Address Contact Address Contact Phone (773)735-0401 APPLICANT DETAILS Contact Address Contact Phone (773)735-0401 Contact Phone (773)735-0401	Requested	8/31/2021 4:12 pm						
Depth of Excavation Expected Duration Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name Onsite Contact Name Onsite Contact Phone Number Amended Dig Notice? Type of Work Work will use Location of Dig Adjustment Of CB,MH ,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH ,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH ,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address Contact Phone (773)735-0401		(NOTE: Dig Ticket is voided if work does not commence within 14 days of ticket creation.)						
Expected Duration 30 Associated Permit Number DOT1584768 Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH, INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH, INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address Contact Phone (773)735-0401	Final Day of Ticket Validity	9/26/2021						
Associated Permit Number Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name Onsite Contact Name Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB, MH ,INLETS, CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Applicant Number Applicant Details Contact Name SEVEN-D CONSTRUCTION CO Contact Address Contact Phone (773)735-0401	Depth of Excavation	2 feet						
Permittee Name CDOT - In-House Construction Work on? Public right-of-way Location Specific Facility Info No Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH ,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH ,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Expected Duration	30						
Work on? Public right-of-way Location Specific Facility Info Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Associated Permit Number	DOT1584768						
Location Specific Facility Info Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Phone (773)735-0401	Permittee Name	CDOT - In-House Construction						
Routing Type Automatic Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Work on?	Public right-of-way						
Onsite Contact Name Melania Diaz Onsite Contact Phone Number (773)735-0401 Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Location Specific Facility Info	No						
Onsite Contact Phone Number Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address Contact Phone (773)735-0401	Routing Type	Automatic						
Amended Dig Notice? No Type of Work Utility Construction Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Onsite Contact Name	Melania Diaz						
Type of Work Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Onsite Contact Phone Number	(773)735-0401						
Work will use Location of Dig Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Amended Dig Notice?	No						
Activity Comment Activity Comment Activity Comment Contact Name Contact Address Contact Phone Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures Marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name Contact Phone (773)735-0401	Type of Work	Utility Construction						
marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address Contact Phone (773)735-0401	Work will use							
Activity Comment Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Location of Dig							
Activity Comment Adjustment Of CB,MH,INLETS,CE and WV. Locate 35' radius on the structures marked with white paint. Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401								
marked with white paint . Locate Sidewalk, Curb & Gutter and Parkway. Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Activity Commont	-						
Excavation might be 1 to 2 ft APPLICANT DETAILS Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401	Activity Comment	l • • · · · · · · · · · · · · · · · · ·						
Contact Name SEVEN-D CONSTRUCTION CO Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401		·						
Contact Address 2000 W 43RD ST CHICAGO, IL 60609 Contact Phone (773)735-0401		APPLICANT DETAILS						
Contact Phone (773)735-0401	Contact Name	SEVEN-D CONSTRUCTION CO						
	Contact Address	2000 W 43RD ST CHICAGO, IL 60609						
Additional Email Addresses sevendiaz@aol.com	Contact Phone	(773)735-0401						
	Additional Email Addresses sevendiaz@aol.com							

NOTICE HISTORY								
Utility Name	Site ID	Notice ID	Туре	Status	Created		Last Statu	s Time
Verizon (MCI)	24	27341585	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
AT&T (SBC IL)*	70	27341583	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
City of Chicago (CoC)	22	27341578	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
Peoples Gas*	136	27341582	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
Peoples Gas North	78	27341579	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
Rogers Telecom/Gabe's Technical Service	42	27341581	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
ComED North*	4	27341584	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
Crown Castle - UG Electrical	208	27341586	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM
Crown Castle	68	27341580	Initial	UnAck	8/31/2021	4:17:00 PM	8/31/2021	4:17:00PM

REVISION HISTORY						
Rev#	Date	User	Reason			
3073304	8/31/2021 4:12:54 PM	sevendiaz	Created			
3073269	8/31/2021 4:17:04 PM	GLENNPURRY	Approved			